

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

febi 06161 hydraulic fluid
Article number 06161, 86161

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Hydraulics oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (english)

Company +49 2333 911-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute Tox. 4: H332 Harmful if inhaled.
Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.
Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is classified and required to be labelled in accordance with EC-Directives

Hazard pictograms



Signal word DANGER

Contains: I-Decane, dimmer hydrogenated

Hazard statements H332 Harmful if inhaled.
H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P312 Call a POISON CENTER / doctor if you feel unwell.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.
P331 Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Ferdinand Bilstein GmbH + Co. KG

Date printed 01.06.2015, Revision 01.06.2015

Version 06. Supersedes version: 05

Page 2 / 9

2.3 Other hazards

Human health dangers	Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs.
Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
50 - < 99	I-Decane, dimmer hydrogenated CAS: 68649-11-6, EINECS/ELINCS: 500-228-5, Reg-No.: 01-2119493069-28-XXXX GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304
2,4 - < 5	Gas oils (petroleum), hydrodesulfurized CAS: 64742-79-6, EINECS/ELINCS: 265-182-8, EU-INDEX: 649-222-00-5 GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411
0,1 - < 1	2,6-di-tert-butyl-p-cresol CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119565113-46-XXXX GHS/CLP: Aquatic Chronic 1: H410, M = 1

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.
For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek for medical treatment.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Supply with medical care.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms of poisoning may not occur for many hours, therefore keep under medical supervision for at least 48 hours.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.
Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.
Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.
The product is combustible.
Do not eat, drink, smoke or take drugs at work.
Use barrier skin cream.
Wash hands before breaks and after work.
Cloths contaminated with product should not be kept in trouser pockets.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with food and animal food/diet.
Do not store together with oxidizing agents.
Keep container tightly closed.
Keep container in a well-ventilated place.
Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 01.06.2015, Revision 01.06.2015

Version 06. Supersedes version: 05

Page 4 / 9

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Range [%]	Substance
0,1 - <1	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119565113-46-XXXX
	Long-term exposure: 10 mg/m ³

DNEL

Range [%]	Substance
50 - < 99	I-Decane, dimmer hydrogenated, CAS: 68649-11-6
	Industrial, inhalative, Acute - systemic effects: 60 mg/m ³ .
	general population, inhalative, Acute - systemic effects: 50 mg/m ³ .
0,1 - <1	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	Industrial, inhalative, Long-term - systemic effects: 5,8 mg/m ³ .
	Industrial, dermal, Long-term - systemic effects: 8,3 mg/kg.

PNEC

Range [%]	Substance
0,1 - <1	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	soil, 1,04 mg/kg.
	sewage treatment plants (STP), 100 mg/l.
	sediment (freshwater), 1,29 mg/kg.
	seawater, 0,0004 mg/l.
	freshwater, 0,004 mg/l.

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General limit for oil mist should be noted.
Eye protection	If there is a risk of splashing: Safety glasses.
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374). > 0,4 mm: Neoprene, >480 min (EN 374).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1.
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	See SECTION 6+7.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	green
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not determined
Flash point [°C]	160
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	0,83 (DIN 51 757) (15 °C / 59,0 °F)
Bulk density [kg/m ³]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	18 mm ² /s (40°C)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.
Strong heating.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Range [%]	Substance
50 - < 99	I-Decane, dimmer hydrogenated, CAS: 68649-11-6
	LD50, dermal, Rabbit: > 3000 mg/l.
	LD50, oral, Rat: > 5000 mg/l.
	LC50, inhalative, Rat: <2,09 mg/l 4h.
0,1 - <1	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	LD50, dermal, Rabbit: > 2000 mg/kg (Lit.).
	LD50, oral, Rat: 2930 mg/kg (Lit.).

Serious eye damage/irritation not determined

Skin corrosion/irritation not determined

Respiratory or skin sensitisation not determined

Specific target organ toxicity — single exposure not determined

Specific target organ toxicity — repeated exposure not determined

Mutagenicity not determined

Reproduction toxicity not determined

Carcinogenicity not determined

General remarks

The product was classified on the basis of the calculation procedure of the preparation directive.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Range [%]	Substance
50 - < 99	I-Decane, dimmer hydrogenated, CAS: 68649-11-6
	LC50, (96h), fish: > 1000 mg/l.
	EC50, Algae: > 1000 mg/l.
	EC50, (48h), Daphnia magna: > 1000 mg/l.
0,1 - <1	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	LC50, (96h), Brachidanio rerio: > 0,42 mg/l (Lit.).
	LC50, (48h), Daphnia magna: > 0,57 mg/l (Lit.).
	EC50, (72h), Scenedesmus subspicatus: > 0,42 mg/l (Lit.).

12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant not determined

Biological degradability not determined

12.3 Bioaccumulative potential

No information available.



Ferdinand Bilstein GmbH + Co. KG

Date printed 01.06.2015, Revision 01.06.2015

Version 06. Supersedes version: 05

Page 7 / 9

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!
Coordinate disposal with the disposal contractor/authorities if necessary.
Dispose of as hazardous waste.

Waste no. (recommended) 130206*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102
150104
150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (1999/13/CE)	0%

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H315 Causes skin irritation.
H304 May be fatal if swallowed and enters airways.
H332 Harmful if inhaled.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative



Ferdinand Bilstein GmbH + Co. KG

Date printed 01.06.2015, Revision 01.06.2015

Version 06. Supersedes version: 05

Page 9 / 9

16.3 Other information

Classification procedure

Acute Tox. 4: H332 Harmful if inhaled. (Calculation method)
Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (Calculation method)
Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

Modified position

SECTION 2 been added: H412 Harmful to aquatic life with long lasting effects.
SECTION 2 been added: Aquatic Chronic 3
SECTION 2 been added: H304 May be fatal if swallowed and enters airways.
SECTION 2 been added: Asp. Tox. 1
SECTION 2 been added: H332 Harmful if inhaled.
SECTION 2 been added: Acute Tox. 4
SECTION 4 been added: Symptoms of poisoning may not occur for many hours, therefore keep under medical supervision for at least 48 hours.